WINDOW
For YOU then for me

ALUMINUM & GLASS DOOR MANUFACTURER

ALUMINUM FENCE FABRICATION & ALUMINUM-BASED MATERIALS SERVICES







Table of contents

- About Us
- Vision, Mission & Core Values
- Development Journey
- Business Segments
- Why SH Window
- Aluminum Alloy/ Products
- Company Capabilities
- Certifications
- Featured Projects
- Information

ABOUT US

SH WINDOW (Song Hoang Manufacturing – Trading – Construction Co., Ltd.) is a Vietnam-based OEM manufacturer specializing in aluminum windows, doors, fencing, and outdoor aluminum products for the building materials and retail markets.

SH Window focuses on OEM manufacturing and Design for Manufacturing (DFM), supporting customers in optimizing product design, mass-production capability, cost efficiency, and supply chain stability. Our solutions are well suited for retail distribution, residential and commercial projects, and long-term supply programs.

With a leadership team possessing over 25 years of industry experience, SH Window offers fully integrated capabilities, including design, machining, fabrication, assembly, and finishing. We meet requirements for consistent quality, reliable delivery schedules, and scalable production capacity. Continuous investment in machinery, automation, and process improvement allows us to increase efficiency, shorten lead times, and ensure consistency across large-scale OEM programs.

SH Window is committed to building long-term, transparent, and reliable partnerships, serving as a manufacturing partner within the global supply chain. Customers can rely on our controlled quality systems, predictable delivery performance, and professional service, from product development through mass production and export.

We believe that the right manufacturing solution is the foundation of successful retail products. Through continuous enhancement of our manufacturing capabilities and services, SH Window aims to become a strategic OEM partner, supporting the sustainable growth of customers in the U.S. and international markets.

VISION

To become a leading OEM manufacturer, delivering consistently high-quality products and reliable, cost-effective solutions, with strong credibility in Vietnam and across key global markets.

MISSION

To support our customers' success by providing high-quality, market-ready, and value-driven aluminum solutions that meet international standards in performance, aesthetics, cost efficiency, and delivery. Through continuous investment in manufacturing capability, process optimization, and people development, we contribute to durable, sustainable projects, long-term partnerships, and responsible global supply chains.

CODE VALUES

1. Business Ethics

Transparency in sourcing, manufacturing, and technical documentation; ensuring products meet applicable standards and customer requirements with controlled and traceable quality.

2. Customer-Centric Approach

Building long-term partnerships through responsive service, dedicated support, and timely problem resolution.

3. Quality

Delivering products that strictly comply with approved drawings, quotations, and applicable standards, with consistent and reliable quality.

4. People Development

Investing in training and creating a working environment that encourages continuous learning, innovation, and professional growth.

COVER LETTER

PREMIER OEM PARTNER: ALUMINUM DOORS, WINDOWS & FENCING SOLUTIONS

To: Our Valued Partners and Clients,

SH Window cordially invites you to explore a strategic partnership. More than just a manufacturer, we position ourselves as a comprehensive solution provider for Aluminum Doors, Windows, Fencing, and Landscape products—ready to serve as a vital link in your global supply chain.

SH Window's Core Capabilities:


- DFM Mindset (Design for Manufacturing): We proactively review and refine designs to optimize production costs while ensuring superior functionality and aesthetics.
- Quality & Compliance: Our automated processes meet rigorous international standards, ensuring consistency across large-scale orders.
- Flexibility & Efficiency: We commit to rapid lead times for both custom and mass production at competitive pricing, helping you maximize profitability.
- Sustainability Commitment: We strictly adhere to business ethics, occupational safety, and environmental responsibility.

We are ready to demonstrate our capabilities and look forward to building a transparent, long-term partnership with you.

Sincerely,

CEO PHAM VAN

Types Of Project Management



2016

Company established

2017

Expanded into the Cambodia and Laos markets

2018

Manufactured and installed projects meeting 5-star and national standards, including 5-star resorts and Cam Ranh International Airport in Vietnam

2022

Entered negotiations with an Italian group and was appointed as an exclusive manufacturer of aluminum doors based on European technology

2025 to now

Exporting to the United States, Australia, Canada, the Philippines, Thailand, and other international markets

SH WINDOW
For YOU then for me

BUSINESS SEGMENTS

We provide a comprehensive one-stop manufacturing solution. Beyond our extensive portfolio of standard off-the-shelf profiles, SH Window excels in end-to-end custom product development (OEM/ODM). We manage the entire lifecycle: from the initial brief and DFM optimization to prototyping, mass production, rigorous quality control, and on-time delivery

01 Fabrication of Aluminum Glass Doors

02 Fabrication of Aluminum Fences.

03 Other Aluminum Fabrication

WHY SH WINDOW- COMPANY HIGHLIGHTS

+10

INTERNATIONAL COUNTRIES

Exporting and actively expanding

- **25+ Years of Expertise**
- **Optimized Costs**
- **Guaranteed Quality**
- **Solutions Tailored to Your Budget**
- **Flexible & Custom-Made**
- **Clear Terms, Lasting Partnership**
- **Speed to Market**
- **Full Logistics Support**

WINDOW
For YOU then for me


Aluminum Alloy

T6063 billet

widely used in many industries, industry, construction architecture,household appliances....


Residential & Hospitality

Villas, mansions, resorts, hotels, and high-rise buildings.



Industrial & Commercial:

Interior design and exterior landscaping projects.



Outstanding Properties of Aluminum

MAINTENANCE-FREE DURABILITY

100% rust-resistant. Eliminates the need for annual repainting, ensuring minimal upkeep costs.

ALL-WEATHER PERFORMANCE

Engineered to endure the most extreme climates without warping or fading.

EFFORTLESS INSTALLATION & USE

User-friendly design allowing for fast setup and smooth, quiet operation.

SUPERIOR QUALITY & AESTHETICS

Sleek, modern finishes that meet global standards of excellence.

ECO-CONSCIOUS & SUSTAINABLE

Made from green materials safe for the environment.

ALUMINUM ARBOR GATE

Design

- Vertical aluminum slat gate design
- Compatible with vertical aluminum fence systems

Specifications

- Standard colors: white or custom colors available
- Post spacing: 3.1 ft (950 mm)
- Gate height: 8.2 ft (2,500 mm)
- Clear opening width: 3.9 ft (1,200 mm)

Applications

- Residential use (homes, villas, garden & landscape entrances)

Key Features

- Clean, modern architectural appearance
- Heavy-duty aluminum construction
- Rust, corrosion & weather resistant
- Low maintenance / Easy installation



SH WINDOW
For YOU then for me

ALUMINUM FENCE GATE

Design

- Horizontal aluminum slat design
- Compatible with horizontal aluminum fence systems

Specifications

- Standard colors: black / white or custom colors available
- Post spacing: 2.6 ft (800 mm) or customizable
- Gate height: 4.4 ft (1,350 mm) or customizable

Applications

- Residential use (homes, villas, landscaped properties)

Key Features

- Modern, clean-line architectural appearance
- Heavy-duty aluminum construction
- Rust, corrosion & weather resistant
- Low maintenance/ Easy installation
- Long service life



SH WINDOW
For YOU then for me

VERTICAL ALUMINUM FENCE

Design

- Vertical aluminum slat design
- Compatible with vertical aluminum fence systems

Specifications

- Standard colors: black / white or custom colors available
- Post spacing: up to 6.6 ft (2.0 m) or customizable
- Slat spacing: 4 in (100 mm) or customizable

Applications

- Residential use (homes, villas, landscaped properties)

Key Features

- Modern, clean-line architectural appearance
- Heavy-duty aluminum construction
- Rust, corrosion & weather resistant
- Low maintenance / Easy installation
- Long service life



SH WINDOW
For YOU then for me

HORIZONTAL ALUMINUM FENCE

Design

- Horizontal aluminum slat design
- Compatible with horizontal aluminum fence systems

Specifications

- Standard colors: black / white or custom colors available
- Post spacing: 6.6 ft (2.0 m) or customizable
- Slat spacing: 0.4 – 2.0 in (10–50 mm) or customizable

Applications

- Residential use (homes, villas, landscaped properties)

Key Features

- Modern, clean-line architectural appearance
- Heavy-duty aluminum construction
- Rust, corrosion & weather resistant
- Low maintenance / Easy installation
- Long service life



WINDOW
For YOU then for me

ALUMINUM BI-FOLD DOOR

Design

- 3-panel aluminum bi-fold door design
- Modern aluminum frame (FD70 profile)

Specifications

- Frame material: Aluminum FD70 system
- Configuration: 3 folding panels
- Opening style: Bi-fold / folding operation
- Standard colors: black / white or custom colors available
- Glass options: clear, tempered, or laminated (optional)

Applications

- Residential use (homes, villas, apartments)
- Ideal for patios, balconies, and indoor–outdoor transitions

Key Features

- Modern, clean-line architectural appearance
- Strong aluminum frame construction
- Smooth folding operation
- Rust, corrosion & weather resistant
- Low maintenance/Easy installation/Long service life








SH WINDOW
For YOU then for me

WINDOW & DOOR SYSTEM



SH WINDOW
For YOU then for me





PERFORMANCE

Performance with sound insulation up to 40 dB, water tightness up to 1200 Pa, air tightness reaching top A4, wind tightness up to 3000 Pa, and insulation index reaching only 1.5W/m2K. These are top quality parameters globally. We will help customers to **SAVE MAXIMUM ELECTRICITY, MINIMIZE OUTSIDE NOISE, STURDY AND DURABLE PROFILE WITH HIGH- CLASS EUROPEAN C-FRAME, PREVENT WATER INFILTRATION FROM THE OUTSIDE.**



SOLUTIONS

We is proud to provide a rare solution with an ALUMINUM system that has both **a thermal bridge and a concealed hinge and an exclusive TREX rainwater drainage system,** meeting aesthetic needs and modern trends, suitable for all weather conditions, especially hot weather like Vietnam, suitable for works with modern architecture, large spaces and bringing sustainable value, LUXURY, CLASSY, MODERNITY, QUALITY to Villas, Mansions, Modern Townhouses, Hotels, Resorts, Office buildings, Commercial centers and high-end apartments, ...

WINDOW
For YOU then for me

DOOR & WINDOW PRODUCTS OFFER

NO	PERFORMANCE	GOS S-110	GOS S-84	GOS C-52	GOS C-60	GOS C-70
1	Air	A4	A4	A4	A4	A4
2	Water	1050Pa	600Pa	900Pa	1200Pa	1200Pa
3	Wind	3000Pa	1800Pa	B4	C5	C6
4	Acoustic	40dB	36dB	32dB	38dB	40dB
5	Thermal Uf	1.5W/m2K	2.5W/m2K	3.2W/m2K	2.6W/m2K	2.2W/m2K

DOOR & WINDOW PRODUCTS OFFER

SERIES	FD-70	S-110	S-84	C-52	C-60	C-70
Weight /1 cash	Max 100kg	Max 400kg	Max 60 kg for window , 120 kg for door	Max 180kg	Max 180 kg	Max 180kg
Conceal Hinge	No need			Yes	Yes	Yes
SPECIFICATION	Max 16 sashs	2-6 sash	2 - 6 sash	1 to 4 sash		
Frame Depth (mm)	70	110	84	52	60	70
Sash Depth (mm)	70	36	36	60	68	78
Max vent size	3m2	12m2	4m2	1,1 *3.5m	1,1 *3.5m	1,1 *3.5m
Glass thickness	from 5mm-40mm	from 5mm-40mm	from 5mm-40mm	from 5mm-40mm	from 5mm-22mm	from 5mm-40mm
Accessories	GIESSE (ITALIA)	GIESSE (ITALIA)	GIESSE (ITALIA)	GIESSE (ITALIA) & others	GIESSE (ITALIA)	GIESSE (ITALIA)


01 LIFT &SLIDE DOOR GOS - S110

The performance of the casement system can also be found in a **sliding** system






HARDWARE GOS – S110



- L&S Rollers
  - With rod adjustment that allows to recover small errors in the length of the rod cutting
  - Double wheels: **up to 200 Kg**
  - Single wheels: **up to 90 Kg**
  - High adjustable **+/- 2 mm**



HARDWARE GOS – S110

- Modular system
- Standard pulley kit: **up to 300 Kg**
- Additional pulley: **up to 350/400 Kg**
- Adjustable handle position
- Adjustable locking points on the sash
- Lock and double handle
- New stylish handles with painted and anodized finish



- L&S Rollers
  - Standard pulley kit: **up to 300 Kg**
  - Additional pulley: **up to 350/400 Kg**



Standard pulley kit




Additional pulley

Main technical features GOS-S110

Following the standards of GOS-S T110 (Euro-groove on the sash, T-REX® on the frame) GOS S-T110able to achieve same or better performances in terms of sealing, thermal insulation and noise reduction, increasing the sash weight up to 400 kg





02 LIFT &SLIDE DOOR GOS-S84

The new reference technology for **sliding systems**





LIFT &SLIDE DOOR GOS – S84


Aim of the project

•Develop a new technology that would allow the construction of sliding doors and windows ensuring high performance in terms of noise reduction andinsulation against the weather, but competitive in term of cost when compared to similar systems available on the international market.

•New standards in profile design


•Specific and innovative hardware


•Dedicated gasket seals





SECTIONS GOS -S84






•Sash upright profile with cremone or handle and multi-point locking as standard

All versions available with fly screen profile

T-REXDEVICE GOS -S110 & S84

GOS-S provides air and water proofing **equivalent to that of an excellent swing sash system.**
Using perimeter gaskets, innovative seals on the central profile and high drainage capacity due to the **T-REX device**, the performance of the system is absolutely outstanding.
Air tightness is guaranteed by the same equipment which provides the waterproofing






European Certified

T-REXDEVICE GOS-S110 & S84

•Thermal break alone is not enough to guarantee top performance in terms of thermal insulation: the **T-REX® device** creates a fully effective thermal break in the longitudinal direction.



- Thermal image of a traditional sliding sash system
- Thermal image of GOS-S sliding sash system

03 DOOR & WINDOW GOS-C60

An ideal profile system for all needs, a frame size of 60 mm ensures an outstanding thermal performance when combined with air and water insulation on the top of the category






Features GOS - C60

Despite the small size of the profile, the system GOS-C 60 mm reaches a thermal transmittance value 2.6 W / m² K of the UF profile, provide sufficient performance to meet the needs of the major climatic zones of the territory.

This version for internal opening uses a sophisticated center gasket in EPDM with honeycomb geometry and vulcanised corner joints and that reach an extraordinary level of isolation from water and air.

The aluminum profiles with thermal bars are manufactured according to European standards with very low dimensional tolerance to guarantee consistent quality all the time.




CASEMENT SYSTEM GOS - C60


Dimension characteristics

Frame 60mm
- Sash 68 mm
- Polyamide thermal bar 24 mm
- Window profile thickness 1.6 mm
- Door profile thickness 2 mm

Performance*

Air A4
- Water E 1200Pa
- Wind C5
- Acoustics 38dB
- Thermal Uf 2.6W/m2K






04 DOOR & WINDOW GOS-C70

Excellent performance with a thermal UF = 2.2W/m2K.

Section from 70 mm. The central seal isolates all the profiles and covers completely the insulation in polyamide, increasing the performance which is already the optimal of GOS-C system. It's possible to install triple glass.

Features GOS – C70

Uncompromised performance with a 70 mm sash and 34 mm honeycomb bars can reach a transmittance value UF 2.2W / m²K of the frame.
The geometry of the profile is designed to ensure the installation of glass up to 61mm to achieve levels of noise reduction at the top of the class.
The aluminum profiles with thermal bars are manufactured according to European standards with very low dimensional tolerance to guarantee consistent quality all the time.



CASEMENT SYSTEM GOS – C70

Dimension characteristics


Dimension characteristics

- Frame 70mm
- Sash 78 mm
- Polyamide thermal bar 34 mm
- Window profile thickness 1.6 mm
- Door profile thickness 2 mm

Performance*

Air A4

- Water E 1200Pa
- Wind C5
- Acoustics 40dB
- Thermal Uf 2.2W/m2K



European Certified

CONCEALED HINGE FOR CASEMENT DOOR

C.H.I.C. Door is **Giesse's** range of concealed hinges that improves the aesthetics and increases the value of the door while also simplifying warehouse organization. Its high load capacity, in compliance with European standards, makes it versatile and fit for a vast range of residential and commercial solutions



Concealed hinges for Euro and R groove C.H.I.C. Door EG and RG - Giesse.webm

https://products.tyman-international.com/en/products/hinges-giesse-chic-door-eg-hinges-fac-cerniere-chic-door-e-g.html

05 FOLDING DOOR GOS-FD70

Basic Info


Max. leaves at one side: 8 leaves

Max. Leaf Width: 1000MM

Max. Leaf Height: 3000MM


Max. Leaf Weight: 100KG


Min.Leaf Width For Even Leaves: 850 mm




FOLDING DOOR GOS-FD70

TYPOLOGY





FRAME-SASH SECTION



SASH-SASH SECTION

European Certified

COMPANY CAPABILITIES: INFRASTRUCTURE



COMPANY CAPABILITIES: INFRASTRUCTURE



COMPANY CAPABILITIES: INFRASTRUCTURE




COMPANY CAPABILITIES: INFRASTRUCTURE



COMPANY CAPABILITIES: INFRASTRUCTURE




COMPANY CAPABILITIES: INFRASTRUCTURE





COMPANY CAPABILITIES: MACHINE





COMPANY CAPABILITIES: MACHINE





COMPANY CAPABILITIES: MACHINE





COMPANY CAPABILITIES: MACHINE





CERTIFICATIONS & QUALITY STANDARDS



CERTIFICATION

Awarded to

SONG HOANG CONSTRUCTION TRADING PRODUCTION COMPANY LIMITED

No. 21 Street 11, KDC Cityland Parkhills, 10 Ward, Go Vap District, Ho Chi Minh City, Vietnam
Small Industrial Park T15 350, National Highway 1, Quarter 4, An Phu Dong Ward, District 12, Ho Chi Minh City, Vietnam

EFC International Certification certify that the Quality Management System of the above organisation has been audited and found to be in accordance with the requirements of the management system standards detailed below.

Standard

ISO 9001:2015

Scope of certification

Production of doors, windows, facades of all kinds


Original approval date: **27 April, 2023**

Subject to the continued satisfactory operation of the organisation's Mongement System, this certificate expires on: **26 April, 2026**
To check this certificate validity please call (+84.28) 38 95 96 95 *or scan the QR Code on this certificate.*

Certificate No.: **3202311826** **Revision date: 27 April, 2023**

EFC International Certification Body

EFC International Certification



VIETNAM CERT

GIẤY CHỨNG NHẬN

Số: **0016-VNC-HC**

Chứng nhận sản phẩm:

CỬA ĐI, CỬA SỔ - CỬA KIM LOẠI

(Danh mục sản phẩm được chứng nhận theo quyết định đính kèm số 0016/VNC-QĐCN)

Nhãn hiệu thương mại: SH WINDOW

Của

CÔNG TY TNHH SẢN XUẤT THƯƠNG MẠI XÂY DỰNG SONG HOÀNG

Địa chỉ văn phòng: Số 24 đường 11 KDC Cityland Park Hills, Phường 10, Quận Gò Vấp, Thành phố Hồ Chí Minh, Việt Nam

Địa chỉ nhà xưởng: KCN nhỏ T15, 350 Quốc lộ 1, Khu phố 4, Phường An Phú Đông, Quận 12, Thành phố Hồ Chí Minh, Việt Nam

Được đánh giá phù hợp với các yêu cầu của tiêu chuẩn:

TCVN 9366-2:2012

Phương thức chứng nhận: **Phương thức 5** (thông tư 28/2012/TT-BKHCN ngày 12/12/2012)

Ngày cấp chứng nhận: **05/05/2023** Hiệu lực tới ngày: **04/05/2026**

Mã truy xuất chứng chỉ

Dấu chứng nhận được phép sử dụng

VIETNAM CERT

TCVN 9366-2:2012

VIETNAM CERT

Giám đốc

Đậu Thị Ngân

PROJECTS REFERENCE



PROJECTS REFERENCE



Hamilton,Canada

PRODUCT

GOS-S T110 Lift&Slide Door



Ontario, Canada

PRODUCT

GOS-S T110 Lift&Slide Door



Vancouver,Canada

PRODUCT

GOS-S T110 Lift&Slide Door

PROJECTS REFERENCE





PROJECTS REFERENCE



Shuixiang Linli

NingBo,China

PRODUCT

GOS-S T110 Lift&Slide Door / Slide Door

GOS-C T60 Tilt&turn Window

Outward Opening Window / Top-hung Window

Inward / Outward Opening Door



10Th and Market

San Francisco,USA

PRODUCT

GOS-S T110

Lift&Slide Door / Slide Door



Gooder Ham

Toronto,Canada

PRODUCT

GOS-S T110

Lift&Slide Door

PROJECTS REFERENCE



HangZhou,China

PRODUCT

GOS-S T110 Lift&Slide Door



HangZhou,China


PRODUCT


GOS-S T110 Lift&Slide Door


GOS-C T60 Tilt&turn Window / Outward Opening Window / Top-hung Window

GOS-C T60 Inward Opening Door / Outward Opening Door

PROJECTS REFERENCE







PROJECTS REFERENCE



PROJECTS REFERENCE



Shangri la Hotel

HangZhou,China

PRODUCT

GOS-S T110 Lift&Slide Door



Kerry Yun He Ting

HangZhou,China

PRODUCT

GOS-S T110 Lift&Slide Door

GOS-C T60 Tilt&turn Window / Outward Opening Window / Top-hung Window

GOS-C T60 Inward Opening Door / Outward Opening Door

PROJECTS REFERENCE









PROJECTS REFERENCE



Featured Projects: Oceanami resort 5 star




Featured Projects: Cam Ranh International Airport & Savico Building





Featured Projects: National Assembly of Cambodia & ICT2 Building






Featured Projects: Intant Villa





Featured Projects: AB BANK & LAVIDA PROJECT





Featured Projects: LDST PROJECT & SHOWROOM VOLVO





CONTACT US

Phone

+84 969013779 /
+ 84 934114997
zalo, viber, whatsapp, telegram,

Email

phamvanhcm@gmail.com
phamvan@songhoang.vn

Website

www.songhoang.vn

Location

22 Dinh Thi Thi, Van Phuc City,
Thu Duc, Vietnam

